Clinical Operations Service Improvement

Maternity GP Shared Care for low-risk women during COVID-19 General Principles:

This is a guide only and may be subject to change

- Protect women and maternity care providers by reducing face to face (F2F) visits
- Wherever possible visits occur by Telehealth (TH)
- F2F visits
 - o preceded on a separate day by TH
 - o < 15 minutes</p>
 - women attend alone +/- 1 support person and no accompanying children if possible
 - BP, height, weight, urinalysis, symphysis fundal height (SFH), foetal movements (FM), foetal heart rate (FHR)
 - o Mental health (MH), domestic violence (DV), alcohol and drug screening
 - o Influenza & Pertussis vaccination; Anti-D in Rhesus negative women

Antenatal

K4-10

- First visit **TH** confirm pregnancy, history, screening, refer for blood tests (add ferritin to FBC) & dating scan (K6-8); HbA1C if risk factors for GDM
- Second visit TH review results, refer to maternity service, refer for CFTS (K11-13+6) +/- NIPT (from K10)
- Follow one of these visits with **F2F** BP, height, weight, examination; MH, DV, alcohol and drug screening; Influenza vaccination

K12-16

- TH +/- F2F CFTS +/- NIPT results, refer for morphology scan (K18-20)
- Maternity service booking in

K20-22

- **F2F preceded by TH** Morphology scan results, BP, weight, urinalysis, SFH, FM, FHR; MH, DV, alcohol and drug screening; Pertussis vaccination
- Maternity service obstetric chart and morphology scan review

K24-26 - TH +/- F2F - refer for K24-28 GDM screening - Fasting Blood Glucose (FBG), FBC, ferritin

K28-29 – **F2F preceded by TH** – FBC, GDM screening results +/- referral; BP, weight, urinalysis, SFH, presentation, FM, FHR; MH, DV, alcohol and drug screening; anti-D for Rhesus negative women; refer for K36 FBC, ferritin

K31 - Maternity Service

K34-37 – F2F preceded by TH – FBC results, BP, weight, urinalysis, SFH, presentation, FM, FHR; MH, DV, alcohol and drug screening; anti-D for Rhesus negative women

K36-37 – Maternity service

K38-40 - TH +/- F2F

K39-41 – Maternity service

Postnatal

5-10 days post partum - TH + F2F PRN depending on hospital and community checks

6 weeks post partum - F2F preceded by TH

Mother - MH, DV screening, contraception

- GDM delay OGTT for 12mo. or
 - if concerned about T2DM continue self monitoring; HbA1C at 4-6mo.

Baby – check neonatal screening test (NNST) and hearing screening has been performed, examination as per personal health record, immunisation.

